

**RADIOACTIVE WASTE MANAGEMENT**

Notes collected by

Lubomir Zikovsky

**Nuclear Engineering Institute  
Department of Mechanical Engineering  
Ecole Polytechnique of Montreal**

1997

|  |    |
|--|----|
| 1. INTRODUCTION . . . . .                                    | 13 |
| Nature and magnitude of the waste management "problem" . . . | 14 |
| Volume . . . . .   | 15 |
| Degree of hazard . . . . .                                   | 16 |
| Basic objectives of waste management . . . . .               | 16 |
| Classification of radioactive wastes . . . . .               | 17 |
| Premises of waste standardization . . . . .                  | 18 |
| Definition of waste categories by MPC . . . . .              | 18 |
| Solid radioactive wastes . . . . .                           | 19 |
| Liquid radioactive wastes . . . . .                          | 20 |
| Gaseous radioactive wastes . . . . .                         | 21 |
| Radioactive waste forms and sources . . . . .                | 22 |
| Nuclear fuel cycle . . . . .                                 | 23 |
| Industry . . . . .   | 23 |
| Institutions . . . . .                                       | 24 |
| Mines . . . . .  | 25 |
| High-level waste in the U.S. . . . .                         | 26 |
| Spent fuel . . . . .   | 26 |
| Commercial high-level waste . . . . .                        | 29 |
| West Valley facility . . . . .                               | 29 |
| Defense high-level waste . . . . .                           | 30 |
| Transuranic waste . . . . .                                  | 31 |
| Generation of radioactive waste . . . . .                    | 32 |
| LLW Produced by reactors . . . . .                           | 33 |
| LLW produced by institutions and industries . . . . .        | 33 |
| Waste from decommissioning . . . . .                         | 33 |
| Dismantlement . . . . .                                      | 34 |
| Mothballing . . . . .  | 34 |
| Encasement . . . . .   | 35 |
| Medical waste . . . . .                                      | 35 |
| Nuclear medicine . . . . .                                   | 35 |
| Research . . . . .   | 37 |
| Radiation therapy . . . . .                                  | 38 |
| Radioactive waste inventories in the U.S. . . . .            | 39 |
| Toxicity of the waste . . . . .                              | 40 |
| Laws and regulations . . . . .                               | 41 |
| Regulations on low-level wastes . . . . .                    | 42 |
| Regulations on the disposal of high-level wastes . . . .     | 43 |
| Cumulative releases from the depository . . . . .            | 44 |
| Environmental standards . . . . .                            | 45 |
| 2. GASEOUS WASTE . . . . .                                   | 47 |
| Gaseous radioactive source terms . . . . .                   | 47 |

|  |           |
|--|-----------|
| BWR gaseous source term model . . . . .                              | 47        |
| BWR ventilation system releases . . . . .                            | 49        |
| PWR gaseous release points . . . . .                                 | 50        |
| PWR ventilation system releases . . . . .                            | 51        |
| PWR secondary system sources . . . . .                               | 52        |
| Other source terms . . . . .   | 54        |
| <b>Gas treatment technologies . . . . .</b>                          | <b>54</b> |
| Compressed gas storage . . . . .                                     | 55        |
| Charcoal delay . . . . .   | 56        |
| Ambient charcoal . . . . .   | 57        |
| Refrigerated charcoal . . . . .                                      | 57        |
| Cryogenic charcoal . . . . .   | 58        |
| Cryogenic distillation . . . . .                                     | 58        |
| Aerosol filtration . . . . .   | 60        |
| Radioiodine collection . . . . .                                     | 60        |
| Effects of moisture . . . . .  | 61        |
| Impregnated charcoal . . . . .                                       | 62        |
| Charcoal bed ignition . . . . .                                      | 62        |
| Krypton and xenon collection . . . . .                               | 63        |
| Tritium removal . . . . .  | 64        |
| Carbon-14 removal . . . . .  | 65        |
| <b>Discharge of radioactive effluent to the atmosphere . . . . .</b> | <b>65</b> |
| Behaviour of effluent plumes . . . . .                               | 65        |
| Release from a stack . . . . .                                       | 66        |
| Diffusion in the atmosphere . . . . .                                | 67        |
| Treatment by Sutton's equations . . . . .                            | 68        |
| Release at a height . . . . .  | 69        |
| Deposition . . . . .   | 70        |
| Adsorption on condensation nuclei . . . . .                          | 71        |
| Washout by rain . . . . .  | 71        |
| <b>3. LIQUID AND WET WASTE . . . . .</b>                             | <b>73</b> |
| <b>Basic principles of management . . . . .</b>                      | <b>73</b> |
| <b>Waste forms and sources . . . . .</b>                             | <b>74</b> |
| Reactors . . . . .   | 74        |
| Reprocessing . . . . .   | 75        |
| Institutions . . . . .   | 76        |
| <b>Management of wet waste . . . . .</b>                             | <b>77</b> |
| Waste collection . . . . .   | 78        |
| Waste pretreatment . . . . .   | 78        |
| Dewatering . . . . .   | 78        |
| Wet waste treatment technologies . . . . .                           | 79        |
| Absorption . . . . .   | 80        |
| Sludge handling . . . . .  | 80        |
| <b>Management of liquid radwastes in NPPs . . . . .</b>              | <b>81</b> |
| Reactor radwaste processing systems . . . . .                        | 81        |

|   |            |
|---|------------|
| Volume reduction . . . . .                                  | 82         |
| Drying . . . . .  | 83         |
| Drying and incineration . . . . .                           | 83         |
| Crystallization . . . . .                                   | 84         |
| Evaporation . . . . .                                       | 84         |
| Types of evaporators . . . . .                              | 85         |
| Natural circulation . . . . .                               | 85         |
| Forced-circulation . . . . .                                | 86         |
| Operating characteristics . . . . .                         | 87         |
| Decontamination factors . . . . .                           | 88         |
| Separation factors . . . . .                                | 88         |
| Materials of construction . . . . .                         | 88         |
| Design considerations . . . . .                             | 88         |
| Ion exchange . . . . .                                      | 90         |
| Type of ion-exchange resins used in NPP . . . . .           | 90         |
| Factors affecting performance . . . . .                     | 91         |
| Selectivity . . . . .                                       | 91         |
| Particle size . . . . .                                     | 92         |
| Mixed vs separate bed . . . . .                             | 92         |
| Operating experience . . . . .                              | 93         |
| Flow rate . . . . .   | 93         |
| Decontamination factors . . . . .                           | 94         |
| Effluent handling . . . . .                                 | 95         |
| Filtration . . . . .  | 96         |
| Types of filters . . . . .                                  | 96         |
| Metallic filters . . . . .                                  | 96         |
| Precoat filters . . . . .                                   | 96         |
| Flatbed filters . . . . .                                   | 97         |
| Centrifugal filters . . . . .                               | 97         |
| Etched disc filters . . . . .                               | 98         |
| Other filter types . . . . .                                | 99         |
| Reverse osmosis . . . . .                                   | 99         |
| Types of units available . . . . .                          | 99         |
| Spiral-wound . . . . .                                      | 100        |
| Hollow-fibre . . . . .                                      | 100        |
| Tubular . . . . .   | 100        |
| Ultrafiltration . . . . .                                   | 101        |
| Centrifugation . . . . .                                    | 101        |
| System design and component arrangement . . . . .           | 101        |
| Storage tanks . . . . .                                     | 102        |
| Evaporators . . . . .                                       | 102        |
| Resin handling systems . . . . .                            | 102        |
| Operation of system . . . . .                               | 103        |
| <b>Solidification of high-level waste . . . . .</b>         | <b>103</b> |
| <b>Basic features of solidification processes . . . . .</b> | <b>103</b> |
| Vitrification in France . . . . .                           | 104        |
| Pot technique . . . . .                                     | 104        |
| Continuous process . . . . .                                | 105        |
| Operation of the AVM plant . . . . .                        | 107        |
| Vitrification in the US . . . . .                           | 107        |

|   |     |
|---|-----|
| Solidification of medium-level waste . . . . .              | 108 |
| Desirable properties . . . . .                              | 109 |
| Free liquid detection . . . . .                             | 109 |
| Cement . . . . .  | 110 |
| Polymer-concrete . . . . .                                  | 112 |
| Urea-formaldehyde . . . . .                                 | 112 |
| Other organic polymers . . . . .                            | 113 |
| Asphalt . . . . .   | 114 |
| Comparisons of solidification agents . . . . .              | 116 |
| Management of high-level liquid defense wastes . . . . .    | 117 |
| Storage tanks . . . . .                                     | 118 |
| Management of low-level medical waste . . . . .             | 118 |
| Waste disposal practices . . . . .                          | 119 |
| Disposal of low level liquid waste . . . . .                | 120 |
| Ground disposal . . . . .                                   | 120 |
| Discharge into the sea . . . . .                            | 122 |
| Reconcentration . . . . .                                   | 123 |
| Environmental surveys . . . . .                             | 124 |
| Preliminary discharge . . . . .                             | 125 |
| Operational discharge . . . . .                             | 126 |
| Disposal in rivers . . . . .                                | 126 |
| 4. SOLID MEDIUM AND LOW LEVEL WASTE . . . . .               | 128 |
| Low-level radioactive waste policy amendments act . . . . . | 129 |
| Collection and segregation of waste . . . . .               | 129 |
| Sources of solid LLW . . . . .                              | 130 |
| Nuclear fuel cycle . . . . .                                | 130 |
| Uranium mine and mill tailings . . . . .                    | 131 |
| Tailings sites . . . . .                                    | 132 |
| Uranium conversion facilities . . . . .                     | 133 |
| Nuclear power reactors . . . . .                            | 134 |
| Decontamination . . . . .                                   | 135 |
| Decommissioning . . . . .                                   | 136 |
| Institutions . . . . .                                      | 137 |
| Industry . . . . .  | 138 |
| Government . . . . .  | 139 |
| Phosphogypsum wastes . . . . .                              | 140 |
| Waste categories . . . . .                                  | 140 |
| Noncompactable/noncombustible . . . . .                     | 140 |
| Compactable/combustible . . . . .                           | 141 |
| Special classes of wastes . . . . .                         | 141 |
| Dry solid treatment technologies . . . . .                  | 142 |
| Compaction and compactors . . . . .                         | 143 |
| Baling . . . . .  | 143 |
| Shredding . . . . .   | 144 |

|   |     |
|---|-----|
| Sectioning . . . . .  | 144 |
| Decontamination . . . . .                                       | 144 |
| Concentration technologies . . . . .                            | 145 |
| Combustion . . . . .  | 145 |
| Acid digestion . . . . .  | 146 |
| Molten salt . . . . .   | 147 |
| Pyrolysis . . . . .   | 147 |
| Combustion techniques and types of incinerators . . . . .       | 147 |
| Agitated-Hearth . . . . .                                       | 148 |
| Controlled-Air . . . . .  | 148 |
| Excess-Air . . . . .  | 148 |
| Fluidized-Bed . . . . .   | 148 |
| Rotary-Kiln . . . . .   | 149 |
| Slagging-Pyrolysis . . . . .                                    | 149 |
| Molten glass . . . . .  | 149 |
| Packaging and container handling of solidified wastes . . . . . | 150 |
| Disposal of solid low-level wastes . . . . .                    | 150 |
| Shallow land burial . . . . .                                   | 151 |
| Site selection . . . . .  | 153 |
| Design of trench structures . . . . .                           | 154 |
| Safety assessment . . . . .                                     | 156 |
| Release mechanisms from shallow burial sites . . . . .          | 156 |
| Alternative designs . . . . .                                   | 157 |
| Tumuli . . . . .  | 158 |
| Below-ground vault . . . . .                                    | 159 |
| Above-ground vault . . . . .                                    | 159 |
| Shaft disposal . . . . .  | 159 |
| Intermediate depth disposal . . . . .                           | 159 |
| Safety features . . . . .                                       | 160 |
| Waste disposal costs . . . . .                                  | 160 |
| Uranium mill tailings . . . . .                                 | 160 |
| Surface impoundments . . . . .                                  | 161 |
| Major components . . . . .                                      | 161 |
| Liners . . . . .  | 162 |
| Management program . . . . .                                    | 163 |
| Alternative tailings disposal siting . . . . .                  | 163 |
| Above-grade with continued active care . . . . .                | 163 |
| Below-grade mines or pits . . . . .                             | 163 |
| Specially excavated below-grade trench . . . . .                | 164 |
| Sea dumping of radioactive waste . . . . .                      | 164 |
| History of dumping . . . . .                                    | 165 |
| Regulation of sea dumping . . . . .                             | 166 |
| The London Dumping Convention . . . . .                         | 167 |
| The Role of the International Atomic Energy Agency . . . . .    | 167 |
| Modelling of dumping . . . . .                                  | 167 |
| Definition of HLW unsuitable for dumping at sea . . . . .       | 168 |
| The IAEA recommendations pertaining to the dumping . . . . .    | 169 |

|  |     |
|--|-----|
| Safety assessment of dumping . . . . .                   | 169 |
| Recent developments of the London Dumping Convention . . | 170 |
| 5. TRANSPORT . . . . .                                   | 172 |
| Radioactive waste packaging . . . . .                    | 172 |
| Regulations . . . . .                                    | 172 |
| LLW packaging . . . . .                                  | 172 |
| Spent fuel packaging . . . . .                           | 174 |
| High-integrity containers . . . . .                      | 175 |
| Transportation of radioactive waste . . . . .            | 176 |
| Transportation by road . . . . .                         | 176 |
| Transport modes . . . . .                                | 178 |
| Truck . . . . .  | 178 |
| Rail . . . . .   | 178 |
| Transport routes . . . . .                               | 179 |
| Transport procedures . . . . .                           | 179 |
| Transport responsibilities . . . . .                     | 180 |
| Shipper requirements and constraints . . . . .           | 181 |
| Inspection . . . . .                                     | 182 |
| Loading and unloading . . . . .                          | 183 |
| Safety restrictions . . . . .                            | 183 |
| 6. SOLID HIGH LEVEL WASTE . . . . .                      | 184 |
| Properties of high level waste . . . . .                 | 184 |
| Activity . . . . .                                       | 184 |
| Heat generation . . . . .                                | 184 |
| Thermal effects . . . . .                                | 185 |
| Phase separation . . . . .                               | 185 |
| Crystallization and devitrification . . . . .            | 186 |
| Waste forms . . . . .                                    | 188 |
| Calcines . . . . .                                       | 188 |
| Glasses . . . . .  | 188 |
| Structure of glass . . . . .                             | 189 |
| Glass leaching . . . . .                                 | 190 |
| Glass ceramics . . . . .                                 | 191 |
| SYNROC . . . . .   | 191 |
| Composition . . . . .                                    | 193 |
| Leaching behaviour . . . . .                             | 194 |
| Radiation damage . . . . .                               | 195 |
| Process technology . . . . .                             | 196 |
| Disposal strategy . . . . .                              | 197 |
| Interim storage . . . . .                                | 198 |
| Spent fuel storage . . . . .                             | 199 |
| Wet pool storage . . . . .                               | 199 |
| Dry storage . . . . .                                    | 200 |
| Away from reactor storage . . . . .                      | 202 |
| 7. DISPOSAL OF HIGH LEVEL WASTE . . . . .                | 203 |

|  |     |
|--|-----|
| Basic principles of disposal . . . . .                             | 203 |
| Geological disposal . . . . .                                      | 204 |
| Alternative disposal options . . . . .                             | 205 |
| Space . . . . .  | 205 |
| Ice sheet . . . . .  | 206 |
| Ocean . . . . .  | 206 |
| Islands . . . . .  | 206 |
| Rock melting . . . . .   | 207 |
| Transmutation . . . . .  | 208 |
| Processes and events causing release from the repository . . . . . | 208 |
| Caused by man . . . . .  | 208 |
| Caused by disposal of waste . . . . .                              | 209 |
| Caused by nature . . . . .   | 210 |
| Groundwater . . . . .  | 211 |
| Normal-case release model . . . . .                                | 212 |
| Evolution of the near-field environment . . . . .                  | 213 |
| Groundwater intrusion . . . . .                                    | 213 |
| Degradation of engineered barriers . . . . .                       | 214 |
| Radionuclide migration . . . . .                                   | 214 |
| Factors affecting the near-field environment . . . . .             | 215 |
| Temperature . . . . .  | 215 |
| Stress field . . . . .   | 216 |
| Hydrogeology . . . . .   | 217 |
| Chemistry . . . . .  | 218 |
| Performance of the engineered barriers . . . . .                   | 219 |
| Backfill . . . . .   | 219 |
| Container . . . . .  | 221 |
| Waste matrix . . . . .   | 224 |
| Borosilicate glass behaviour . . . . .                             | 225 |
| Spent fuel behaviour . . . . .                                     | 226 |
| Modelling of radionuclide release from the near field . . . . .    | 227 |
| The Swiss near-field model . . . . .                               | 228 |
| Release models for other near-field designs . . . . .              | 230 |
| Limitations and problems . . . . .                                 | 231 |
| Modelling of radionuclide migration in the far-field . . . . .     | 233 |
| Crystalline rocks . . . . .  | 235 |
| Argillaceous rocks . . . . .                                       | 237 |
| Evaporites . . . . .   | 238 |
| Factors controlling migration . . . . .                            | 239 |
| Hydrogeology . . . . .   | 239 |
| Hydraulic pressure . . . . .                                       | 240 |
| Hydraulic conductivity . . . . .                                   | 240 |
| Transport models . . . . .   | 242 |
| Physical dispersion . . . . .                                      | 244 |
| Diffusive retardation . . . . .                                    | 245 |
| Chemical interaction of radionuclides with the rock . . . . .      | 246 |
| Precipitation . . . . .  | 247 |
| Sorption . . . . .   | 247 |
| Surface chemistry . . . . .  | 248 |



|  |     |
|--|-----|
| The complete 'normal-case' release model . . . . .           | 249 |
| Migration from a repository in evaporites . . . . .          | 250 |
| Geological evolution of the far-field barrier . . . . .      | 251 |
| Biosphere modelling . . . . .                                | 252 |
| Concentration ratios . . . . .                               | 253 |
| Radiological safety assessments . . . . .                    | 254 |
| Purposes, objectives and scope of assessments . . . . .      | 255 |
| Basic features . . . . .                                     | 256 |
| Categories of events considered . . . . .                    | 257 |
| Examples of the results of assessments . . . . .             | 258 |
| Sweden the KBS-3 assessment . . . . .                        | 259 |
| Switzerland NAGRA study . . . . .                            | 260 |
| Probabilistic assessments . . . . .                          | 262 |
| Model validation and the use of natural analogues . . . . .  | 263 |
| Behaviour of borosilicate glass . . . . .                    | 266 |
| The HLW canister . . . . .                                   | 267 |
| The bentonite backfill . . . . .                             | 267 |
| Concrete and Cement . . . . .                                | 268 |
| Bitumen . . . . .  | 268 |
| Radionuclide release and migration . . . . .                 | 268 |
| Solubility limits and speciation . . . . .                   | 269 |
| Interaction of radionuclides during migration . . . . .      | 270 |
| Matrix diffusion . . . . .                                   | 271 |
| Redox conditions . . . . .                                   | 271 |
| <b>8. MANAGEMENT OF RADIOACTIVE WASTE IN CANADA</b>          |     |
| Low level waste . . . . .                                    | 272 |
| Sources of low-level wastes . . . . .                        | 273 |
| Waste management technology . . . . .                        | 274 |
| Incineration . . . . .                                       | 274 |
| Transportation . . . . .                                     | 275 |
| Storage . . . . .  | 275 |
| Ontario Hydro experience . . . . .                           | 276 |
| AECL experience . . . . .                                    | 276 |
| Future disposal facilities . . . . .                         | 276 |
| Responsibilities . . . . .                                   | 277 |
| Storage of irradiated fuel . . . . .                         | 278 |
| Description . . . . .  | 278 |
| Cooling and purification systems . . . . .                   | 280 |
| Routine operation . . . . .                                  | 281 |
| Fuel handling . . . . .                                      | 281 |
| Cooling and purification . . . . .                           | 282 |
| Handling of defected fuel . . . . .                          | 282 |
| Unusual events . . . . .                                     | 283 |
| Heat exchanger tube fouling . . . . .                        | 283 |
| Use of hydrazine to reduce volatile iodine levels . . . . .  | 284 |
| Long-term irradiated fuel integrity in wet storage . . . . . | 284 |
| Conclusions . . . . .  | 285 |

|   |     |
|---|-----|
| High level waste . . . . .                                | 285 |
| Disposal concept . . . . .                                | 286 |
| Disposal facility . . . . .                               | 286 |
| Description . . . . .                                     | 286 |
| The waste form . . . . .                                  | 287 |
| Used fuel . . . . .                                       | 287 |
| Activity . . . . .  | 287 |
| Heat output . . . . .                                     | 287 |
| Release of contaminants . . . . .                         | 288 |
| Solidified high-level waste . . . . .                     | 289 |
| Gas generation . . . . .                                  | 290 |
| Container . . . . .                                       | 290 |
| Design considerations . . . . .                           | 291 |
| Corrosion . . . . .                                       | 293 |
| Titanium . . . . .  | 293 |
| Internally supported shells . . . . .                     | 295 |
| Self-supported shells . . . . .                           | 296 |
| Fabrication and inspection . . . . .                      | 296 |
| Monitoring and contingency plans . . . . .                | 297 |
| Vault . . . . .   | 298 |
| Design assumptions . . . . .                              | 299 |
| Regulatory requirements . . . . .                         | 300 |
| Project schedule . . . . .                                | 300 |
| Operation . . . . .                                       | 301 |
| Testing . . . . .   | 302 |
| Closure . . . . .   | 302 |
| Resource requirements . . . . .                           | 303 |
| Feasibility . . . . .                                     | 304 |
| The biosphere model . . . . .                             | 304 |
| The geosphere/biosphere interface . . . . .               | 306 |
| The biosphere submodels . . . . .                         | 307 |
| SCEMR1 . . . . .  | 307 |
| CALDOS . . . . .  | 309 |
| The integrated model . . . . .                            | 311 |
| Environmental changes . . . . .                           | 312 |
| Postclosure assessment . . . . .                          | 313 |
| Estimated radiological effects on human health . . . . .  | 315 |
| Contaminant concentrations in the biosphere . . . . .     | 315 |
| Radiation doses to non-human biota . . . . .              | 317 |
| Sensitivity analyses for I-129 . . . . .                  | 318 |
| Median-value calculations . . . . .                       | 318 |
| Probabilistic calculations . . . . .                      | 319 |
| Supporting studies . . . . .                              | 319 |
| Use of sensitivity analysis studies . . . . .             | 320 |
| Analysis of potential barrier effectiveness . . . . .     | 320 |
| Human intrusion scenarios . . . . .                       | 321 |
| Projected trends from the system-model analysis . . . . . | 323 |
| Analogy to a uranium ore deposit . . . . .                | 324 |
| Biosphere processes . . . . .                             | 325 |
| Acronyms and abbreviations . . . . .                      | 327 |

|                        |     |
|------------------------|-----|
| Bibliography . . . . . | 329 |
|------------------------|-----|

## LIST OF TABLES

|  |     |
|--|-----|
| 1 Classification of radioactive waste . . . . .  | 22  |
| 2 Radioactivity (Ci) in Spent LWR Fuel per One Metric Ton of Uranium in Fresh Fuel . . . . .   | 28  |
| 3 The most important radionuclides present in the PUREX (P) and THOREX (T) HLW at West Valley . . . . .  | 30  |
| 4 Inventories and Characteristics of DOE Defense TRU Waste in Retrievable Storage as of December 31, 1986. . . . .   | 32  |
| 5 Volumes (m <sup>3</sup> /y) and activities (Ci) of LLW by Waste Stream and Reactor Type, per 1000 MW power (1986). . . . .   | 33  |
| 6 Low-level Wastes Added Annually to Disposal Sites in 1985. . . . .   | 33  |
| 7 Radionuclides Used in Clinical Nuclear Medicine. . . . .   | 37  |
| 8 Sources of medical RW and an estimate of the relative disposal costs from the various areas. . . . .   | 38  |
| 9 Annual Quantity of Different Forms Radioactive Waste at Washington University in 1984. . . . .   | 39  |
| 10 Types of medical waste. . . . .   | 39  |
| 11 Radioactive Waste Inventories in the U.S. . . . .   | 40  |
| 12 EPA HLW Standard for Cumulative Releases for 10,000 Years. . . . .  | 45  |
| 13 Comparative releases from the BWR main condenser air ejector . . . . .  | 50  |
| 14 Comparative releases from the PWR waste gas processing system . . . . .   | 54  |
| 15 Comparison of number of gaseous atoms created (NC) in a reactor with those released (NR) when no off-gas treatment used (per GWy). . . . .                                | 54  |
| 16 Dynamic adsorption coefficients. . . . .  | 56  |
| 18 Constants applicable to Sutton's equations. . . . .   | 68  |
| 19 Expected average daily inputs to the liquid waste processing system of a 1000 MW BWR from normal operation . . . . .  | 75  |
| 20 Decontamination factors used by NRC for evaporators. . . . .  | 88  |
| 21 Characteristics of typical ion-exchange resins. . . . .   | 90  |
| 22 Decontamination factors that can be attained with various ion exchange systems. . . . .   | 95  |
| 23 Properties of some asphalts. . . . .  | 115 |
| 24 Comparison of cement, urea formaldehyde resin and asphalt solidification agents used with radwastes. . . . .  | 117 |
| 25 Low-Level Radioactive Waste Disposal Methods and Costs at Washington University, 1984. . . . .  | 119 |
| 26 Current (1985) Low-Level Radioactive Waste Disposal . . . . .   | 119 |
| 27 Concentration factors, Derived Working Limits for seawater, ICRP Permissible Daily Intakes (PDI) and safe release rates (RR) for fish (F) and white mussel (WM) . . . . . | 124 |
| 28 Typical LLW Streams by Generator Category . . . . .   | 129 |

|    |  |     |
|----|--|-----|
| 29 | Classification for radwaste based on 10 CFR Part 61 . . . . .  | 130 |
| 30 | Reference Uranium Mill Tailings. . . . .   | 131 |
| 31 | Summary of LLW from Immediate Decommissioning Reference<br>Nuclear Power Reactors. . . . .   | 136 |
| 32 | Volumes, Specific Activities (SA) and Activities of<br>Industrial LLW Streams (1980). . . . .  | 139 |
| 34 | U.S. Spent fuel truck shipping casks . . . . .   | 178 |
| 35 | U.S. Spent fuel rail shipping casks . . . . .  | 179 |
| 36 | Activity of radionuclides in high-level waste . . . . .  | 184 |
| 37 | Contribution to heat generation of thermally significant<br>isotopes in PWR spent fuel . . . . .   | 185 |
| 38 | Decrease of thermal power of HLW for different times after<br>disposal. . . . .  | 185 |
| 39 | Characteristics of world's solidified high-level wastes. . . . .   | 188 |
| 40 | Ionic field strengths (FS : $Z/r^2$ ), charge (C) and ionic<br>radius (IR in 1E-12 m) of cations present in glasses. . . . .   | 190 |
| 41 | Typical composition of SYNROC . . . . .  | 193 |
| 42 | Distribution of principal high-level waste elements among<br>constituent minerals of SYNROC. . . . .   | 193 |
| 43 | Large metal dry storage cask characteristics . . . . .   | 202 |
| 44 | Composition of high-level borosilicate waste glass. . . . .  | 225 |
| 45 | Material inventory (per waste container) in the near-field<br>of a reference Swiss high-level waste repository. . . . .  | 228 |
| 46 | Fission activation product inventory 1000 years after<br>disposal in the Swiss reference HLW repository. . . . .   | 229 |
| 47 | Likely maximum and minimum values for the hydraulic<br>conductivity (HC), porosity (P), gradient (G), flux (F)<br>and velocity (V) of various sediments and crystalline<br>rocks . . . . . | 242 |
| 48 | The distribution of radionuclide ingestion doses over<br>various pathways for the Swiss Project 1985. . . . .  | 261 |
| 49 | Summary of element retention in the Oklo fossil reactor<br>zones . . . . .   | 269 |
| 50 | Canada's Low-Level Waste Volume Projections . . . . .  | 272 |
| 51 | Irradiated fuel bays at Ontario Hydro's NGS. . . . .   | 279 |
| 52 | Irradiated fuel bay purification system capacity. . . . .  | 280 |
| 53 | Used-fuel centre life-cycle cost and labour<br>requirements. . . . .   | 303 |
| 54 | Scaled nominal cost (M\$ 1991) and Duration (D in years)<br>estimates for disposal vault capacities of 5, 7.5 and<br>10.1 Million used-fuel bundles at depth of 1000 m. . . . .            | 304 |
| 55 | Comparison of nominal cost (M\$ 1991) and schedule durations<br>(D in years) for a disposal centre with a vault at depths<br>of 500 and 1000 m . . . . .                                   | 304 |
| 56 | Percentage of contaminants present in different<br>compartments at 1E+4 a. . . . .   | 315 |
| 57 | Mean concentrations (MC) of contaminants in soil and<br>water . . . . .  | 317 |
| 58 | Arithmetic mean of the maximum doses to four hypothetical<br>organisms estimated in 1000 simulations for a 100<br>000-year simulation time (mGy/a). . . . .                                | 317 |

|    |  |     |
|----|--|-----|
| 59 | Percentage of a nuclide released by a barrier over 100 000 years. . . . .                              | 320 |
| 60 | Maximum Estimated Risk (MER) and Time of Occurrence (TO) from four human intrusion scenarios . . . . . | 322 |
| 61 | Amounts of contaminants (in mol) present in different compartments at 1E+5 a. . . . .                  | 323 |